



Product Service

Attestation of Conformity

No. E8A 004287 0007 Rev. 00

Holder of Attestation: **Guangzhou Linong Lighting Technology Co., Ltd.**
Room 115, 1st Floor, Building 3
minjie Science and Technology Innovation Center, No. 3, Kerong Street
Guangzhou Private Science and Technology Park, No. 1633 Beitai Road
Baiyun District
510540 Guangzhou
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Fixed general purpose luminaires (LED Strip Light)**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 6874025001601

Date, 2025-04-28

(Cookies Bu)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 004287 0007 Rev. 00

Model(s):

LNTS3I240XZ-D12; LNTS3I120XZ-D12; LNTS3I60XZ-D12;
 LNTS4I96XZ-D12; LNTS4I60XZ-D12; LNTS5I120XZ-D12;
 LNTS5I60XZ-D12; LNTKD5I144XZ-D12; LNTKD5I60XZ-D12;
 LNTS6I300XZ-D12; LNTS6I240XZ-D12; LNTS6I120XZ-D12;
 LNTS7I144XZ-D12; LNTS7I120XZ-D12; LNTS8I240XZ-D12;
 LNTS8I192XZ-D12; LNTS8I168XZ-D12; LNTS8I120XZ-D12;
 LNTS8I60XZ-D12; LNTKD8I126XZ-D12; LNTKD8I72XZ-D12;
 LNTS0I608XZ-D12; LNTS0I480XZ-D12; LNTS0I384XZ-D12;
 LNTKD0I720XZ-D12; LNTKD0I576XZ-D12; LNTS3I240XZ-D24;
 LNTS3I120XZ-D24; LNTS3I60XZ-D24; LNTS4I96XZ-D24;
 LNTS4I60XZ-D24; LNTS5I120XZ-D24; LNTS5I60XZ-D24;
 LNTKD5I80XZ-D24; LNTKD5I60XZ-D24; LNTS6I300XZ-D24;
 LNTS6I240XZ-D24; LNTS7I144XZ-D24; LNTS7I120XZ-D24;
 LNTS8I240XZ-D24; LNTS8I192XZ-D24; LNTS8I168XZ-D24;
 LNTS8I120XZ-D24; LNTS8I60XZ-D24; LNTKD8I126XZ-D24;
 LNTKD8I84XZ-D24; LNTS0I608XZ-D24; LNTS0I480XZ-D24;
 LNTS0I384XZ-D24; LNTKD0I720XZ-D24; LNTKD0I576XZ-D24;
 ('I' can be WNW, WW, CW, NW, PW, W, R, G, B, Y, RGB, RGBW, RBGWNW, denotes color of LED light, WNW=white+nature white, WW=warm white, CW=cool white, NW=nature white, PW=pure white, W=white, R=red, G=green, B=blue, Y=yellow, RGB=red+green+blue, RGBW=red+green+blue+white, RBGWNW=red+green+blue+white+nature white;
 'X' can be N, H, J, V, U, T, E, G, or blank, denotes protection type of LED strip, N=Non coating, Blank= with coating, H=silicon extrusion (not fill in silicon), J=PU glue coating, V=silicon extrusion (fill in silicon), U=U type silicon coating, T=silicon spraying, E=silicon hollow tube, G=semi-circular shape silicon coating;
 'Z' can be 1, 2, 3, 4, 5, 6, 7, 8, 9 or 0, denotes length of LED strip, 1=0.5m, 2=1m, 3=1.5m, 4=2m, 5=2.5m, 6=3m, 7=3.5m, 8=4m, 9=4.5m, 0=5m.)

Description of Object:

Rated Input: See below table for details
 Protection Class: III

Tested according to:

EN IEC 55015:2019/A11:2020
 EN IEC 61547:2023

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 004287 0007 Rev. 00

Model No.	Rated Voltage (VDC)	Rated Power (W) (Z=1, 2, 3, 4, 5, 6, 7, 8, 9 or 0)									
		1	2	3	4	5	6	7	8	9	0
LNTS3I240XZ-D12	12	9,5	18,5	27,2	30,3	37,3	40,7	43,6	45,6	47,6	49,2
LNTS3I120XZ-D12	12	4,8	9,6	14,4	18,6	22,5	26,6	29,0	32,6	34,0	36,0
LNTS3I60XZ-D12	12	2,4	4,8	7,2	9,2	10,8	12,2	13,2	16,8	17,4	18,0
LNTS4I96XZ-D12	12	7,2	14,0	19,6	25,4	30,1	35,5	39,2	44,3	48,4	53,3
LNTS4I60XZ-D12	12	6,2	12,1	16,9	21,9	25,9	30,6	33,8	38,2	41,7	45,9
LNTS5I120XZ-D12	12	11,5	22,4	33,0	36,7	45,1	49,3	52,8	55,2	57,6	59,5
LNTS5I60XZ-D12	12	7,2	14,4	19,2	24,0	27,0	30,0	33,0	36,0	39,0	42,0
LNTKD5I144XZ-D12	12	7,0	13,3	19,5	25,8	31,5	37,4	41,7	46,5	49,8	52,5
LNTKD5I60XZ-D12	12	4,8	9,6	14,4	18,6	22,5	26,6	29,0	32,6	34,0	36,0
LNTS6I300XZ-D12	12	10,5	20,4	30,1	33,5	41,2	45,0	48,2	50,4	52,6	54,4
LNTS6I240XZ-D12	12	8,3	16,1	23,8	26,5	32,6	35,6	38,1	39,8	41,6	43,0
LNTS6I120XZ-D12	12	4,7	9,2	13,4	17,3	20,2	23,0	25,3	27,5	28,8	30,1
LNTS7I144XZ-D12	12	13,0	25,3	37,3	41,5	51,0	55,8	59,7	62,4	65,1	67,3
LNTS7I120XZ-D12	12	12,2	23,7	34,8	38,9	47,9	52,3	56,0	58,6	61,1	63,2
LNTS8I240XZ-D12	12	13,6	26,4	39,0	43,4	53,3	58,3	62,4	65,3	68,2	70,4
LNTS8I192XZ-D12	12	12,5	24,3	35,8	39,9	49,1	53,6	57,4	60,0	62,6	64,8
LNTS8I168XZ-D12	12	10,6	20,5	30,2	33,5	41,2	45,0	48,2	50,4	52,7	54,5
LNTS8I120XZ-D12	12	7,2	14,4	19,2	24,0	27,0	30,0	33,0	36,0	39,0	42,0
LNTS8I60XZ-D12	12	3,6	7,2	9,6	12,0	13,5	15,0	16,5	18,0	20,0	22,0
LNTKD8I126XZ-D12	12	4,5	8,8	12,6	16,6	20,3	23,0	25,5	28,1	29,2	30,6
LNTKD8I72XZ-D12	12	2,6	5,1	7,1	9,2	10,9	12,8	14,2	16,0	17,5	19,3
LNTS0I608XZ-D12	12	7,3	13,9	19,7	24,8	28,5	31,5	33,7	34,5	32,9	35,0
LNTS0I480XZ-D12	12	5,8	11,4	16,5	21,3	24,9	28,4	31,3	33,9	35,5	37,1
LNTS0I384XZ-D12	12	5,2	10,1	14,9	16,6	20,4	22,3	23,9	25,0	26,1	26,9
LNTKD0I720XZ-D12	12	7,0	13,3	19,5	25,8	31,5	37,4	41,7	46,5	49,8	52,5
LNTKD0I576XZ-D12	12	5,3	10,3	14,4	18,7	22,2	26,1	28,9	32,6	35,6	39,2
LNTS3I240XZ-D24	24	9,5	18,6	27,1	35,0	42,8	50,7	58,5	65,4	71,8	77,0
LNTS3I120XZ-D24	24	4,9	9,6	14,3	18,9	23,4	27,9	32,1	36,1	39,5	42,7
LNTS3I60XZ-D24	24	2,4	4,8	7,1	9,5	11,7	13,9	16,0	18,1	19,8	21,3
LNTS4I96XZ-D24	24	7,2	14,3	21,0	27,1	32,8	38,9	44,4	49,5	54,4	59,0
LNTS4I60XZ-D24	24	6,2	12,1	17,9	23,5	29,2	34,7	39,8	44,3	48,7	52,3
LNTS5I120XZ-D24	24	11,5	22,5	32,8	42,3	51,8	61,4	70,8	79,1	86,9	93,2
LNTS5I60XZ-D24	24	7,1	14,2	20,9	27,0	32,6	38,7	44,3	49,4	54,2	58,9
LNTKD5I80XZ-D24	24	13,0	25,9	37,1	47,8	58,5	69,4	80,1	89,4	98,3	105,3
LNTKD5I60XZ-D24	24	9,0	17,6	26,2	34,4	42,8	50,8	58,3	64,8	71,3	76,5
LNTS6I300XZ-D24	24	10,5	20,6	29,9	38,6	47,3	56,1	64,7	72,2	79,4	85,1
LNTS6I240XZ-D24	24	8,3	16,3	24,2	31,7	39,4	46,8	53,7	59,8	65,7	70,6
LNTS7I144XZ-D24	24	13,0	25,9	37,1	47,8	58,5	69,4	80,1	89,4	98,3	105,3
LNTS7I120XZ-D24	24	12,3	24,0	35,3	46,1	56,4	66,2	75,5	84,3	92,6	101,1
LNTS8I240XZ-D24	24	15,8	31,5	42,5	52,7	63,8	75,1	83,3	92,6	100,0	105,3
LNTS8I192XZ-D24	24	11,0	21,6	31,7	41,4	50,6	59,4	67,8	75,7	83,2	90,8
LNTS8I168XZ-D24	24	10,5	20,6	30,6	40,1	49,9	59,2	68,0	75,6	83,2	89,3
LNTS8I120XZ-D24	24	7,5	14,7	21,8	29,0	35,6	42,3	48,6	54,6	60,1	65,3
LNTS8I60XZ-D24	24	4,3	8,5	12,6	16,8	20,8	24,7	28,4	32,0	35,0	37,8
LNTKD8I126XZ-D24	24	4,5	8,9	13,1	16,9	20,5	24,3	27,7	31,0	34,0	36,9
LNTKD8I84XZ-D24	24	3,1	6,1	9,0	11,8	14,7	17,5	20,1	22,3	24,6	26,4
LNTS0I608XZ-D24	24	7,3	14,3	20,8	26,9	32,9	39,0	43,4	48,5	51,9	54,8
LNTS0I480XZ-D24	24	6,0	11,7	16,3	21,2	25,1	29,6	32,7	36,9	40,3	44,4
LNTS0I384XZ-D24	24	5,4	10,5	14,7	19,1	22,6	26,6	29,4	33,2	36,3	40,0
LNTKD0I720XZ-D24	24	11,2	21,8	32,1	43,5	53,5	62,5	72,7	81,7	89,5	95,5
LNTKD0I576XZ-D24	24	8,5	16,5	23,1	23,0	35,5	41,9	46,3	52,3	57,1	62,9

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.